



LED SMD Floodlight IP65 Black Body with Sensor



Power **Light color**

• 30W



White light

Stamps



Technical Specification

Catalog Number	15854
Brand	Optonica
Product Code	FL30-B3
Power	30W
Energy Consumption	30 kWh/1000h
Input voltage	AC85-265V
Flux	2700 lm
FLUX per watt	90lm/W
IP	65
Dimmable	No
Correlated Color Temperature	6000K
Light Color	White light
EAN Code	3801057158549
Energy Efficiency Label	F
Beam angle	120°
On/Off Cycles	25 000x

Instant On	0.1s
Operating Frequency	50-60 Hz
Temperature	-20°C / +40°C
Life span	25 000 Hours
Body Color	Black
LED Type	SMD
Lumen maintenance at end of service life	70%
Size of product	159x178x30 mm
Size of package	16.7x5x18.5cm
Size of Box	52.5x34.5x20.5cm
Items per pack	1
Items per box	20
Cable	15 cm
Detection Distance	8 M
Sensitivity angle	120 degree
Gross weight	0,439 kg
Net weight	0,374 kg
Time Function	12sec-7min - adjustable


Warranty	2 Years
-----------------	---------



LED SMD Floodlight IP65 Black Body with Sensor



Power **Light color**

• 30W



Neutral white

Stamps



Technical Specification

Catalog Number	15855
Brand	Optonica
Product Code	FL30-B3
Power	30W
Energy Consumption	30 kWh/1000h
Input voltage	AC85-265V
Flux	2700 lm
FLUX per watt	90lm/W
IP	65
Dimmable	No
Correlated Color Temperature	4000K
Light Color	Neutral white
EAN Code	3801057158556
Energy Efficiency Label	F
Beam angle	120º
On/Off Cycles	25 000x

Instant On	0.1s
Operating Frequency	50-60 Hz
Temperature	-20°C / +40°C
Life span	25 000 Hours
Body Color	Black
LED Type	SMD
Lumen maintenance at end of service life	70%
Size of product	159x178x30 mm
Size of package	16.7x5x18.5cm
Size of Box	52.5x34.5x20.5cm
Items per pack	1
Items per box	20
Cable	15 cm
Detection Distance	8 M
Sensitivity angle	120 degree
Gross weight	0,439 kg
Net weight	0,374 kg
Time Function	12sec-7min - adjustable

Warranty	2 Years
-----------------	---------